



 **SONIC**

***STEAM ROOM • SAUNA ROOM
FAR INFRARED SAUNA
SWIMMING POOL
JACUZZI & PORTABLE JACUZZI
WATER FEATURES***



SONIC STEAM & SAUNA (M) SDN BHD



SONIC POOLS (M) SDN BHD

NO. 35, JALAN EMAS SD 5/1, BANDAR SRI DAMANSARA, 52200
KUALA LUMPUR, MALAYSIA.

TEL : 03 - 62776828 (HUNTING LINES)

FAX : 03 - 62735769

WEBSITE : www.sonicsteamsauna.com

EMAIL : sales@sonicsteamsauna.com

mickencflee@yahoo.com

Sonic Steam & Sauna (M) Sdn Bhd

Specialized In:

- 1) Steam Room
- 2) Sauna Room
- 3) Portable & Custom Made Far Infrared Sauna Room
- 4) Portable Whirlpool (Jacuzzi)
- 5) Ice Fountain System
- 6) Inteligent Shower

Sonic Pools (M) Sdn Bhd

Specialized In:

- 1) Swimming Pool
- 2) Hot & Cold Concrete Spa Pool
- 3) Water Feature
- 4) Water Spa Treatment System
- 5) Fish Pond



MALAYSIA
TRADE MARKS ACT 1976
TRADE MARKS REGULATIONS 1997
RENEWAL CERTIFICATE
(SECTION 41)

Trade Mark No. : 07023869

Class : 11

I hereby certify that the above Trade Mark registration

has been renewed for a period of 10 years

until 04/12/2027

Date of issue: 07/03/2018

A handwritten signature in cursive script, reading 'Azahar Razab'.

(Azahar Abdul Razab)
For Registrar of Trade Mark
MALAYSIA



**Perbadanan Harta Intelek Malaysia
Intellectual Property Corporation of Malaysia**

**TRADE MARKS ACT 1976
TRADE MARKS REGULATIONS 1997**

**CERTIFICATE OF REGISTRATION
(Regulation 56)**



Trade mark no : 07023869

To : KOK SIEW WAI

I HEREBY CERTIFY THAT under the provisions of the Trade Marks Act 1976 and the Trade Marks Regulations 1997, the above-numbered trade mark has been registered in your name as proprietor of the said trade mark in the Register for a period of ten (10) years from 04/12/2007 to 04/12/2017 in Class 11 in respect of the following goods:

SAUNA BATH INSTALLATIONS INCLUDED IN CLASS 11.

**(ABDUL AZIZ B. ISMAIL)
for REGISTRAR OF TRADE MARKS
MALAYSIA**

DATE ISSUE: 05/11/2009

PERAKUAN PENDAFTARAN

Adalah dengan ini diperakui bahawa kontraktor yang dinyatakan di bawah ini telah berdaftar dengan Lembaga mengikut Bahagian VI Akta Lembaga Pembangunan Industri Pembinaan Malaysia 1994. Pendaftaran ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan bersama perakuan ini.


No. Pendaftaran : 0120190930-SL032595
Nama Kontraktor : SONIC POOLS (M) SDN. BHD.
Alamat Berdaftar : NO. 10A, 1ST FLOOR JALAN SS2/67
47300 KOTA DAMANSARA
SELANGOR
Daerah : PETALING
Tarikh Mula Berdaftar : 01/10/2019

<u>GRED</u>	<u>KATEGORI</u>	<u>PENGGHUSUSAN</u>
G3	B	B04
G3	CE	CE21

Tarikh Mula Berkuatkuasa : 01/10/2019

Tarikh Habis Tempoh Perakuan : 30/09/2021

STATUS: BARU



Ketua Eksekutif

Lembaga Pembangunan Industri Pembinaan Malaysia

Tarikh: 01/10/2019



PERAKUAN PENDAFTARAN

Adalah dengan ini diperakui bahawa kontraktor yang dinyatakan di bawah ini telah berdaftar dengan Lembaga mengikut Bahagian VI Akta Lembaga Pembangunan Industri Pembinaan Malaysia 1994. Pendaftaran ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan bersama perakuan ini.


No. Pendaftaran : 0120100630-SL130071
Nama Kontraktor : SONIC STEAM & SAUNA (M) SDN. BHD.
Alamat Berdaftar : NO. 35, JALAN EMAS SD 5/1, BANDAR SRI DAMANSARA,
52200 KUALA LUMPUR
WILAYAH PERSEKUTUAN KUALA LUMPUR
Daerah : KUALA LUMPUR
Tarikh Mula Berdaftar : 30/06/2010

<u>GRED</u>	<u>KATEGORI</u>	<u>PENGGHUSUSAN</u>
G3	B	B04 B16
G3	CE	CE21
G3	ME	M15

Tarikh Mula Berkuatkuasa : 21/08/2018

Tarikh Habis Tempoh Perakuan : 15/05/2021

STATUS: AKTIF



Ketua Eksekutif

Lembaga Pembangunan Industri Pembinaan Malaysia

Tarikh: 21/08/2018



Registration No. 2015/037

MALAYSIAN SWIMMING POOL ASSOCIATION



Certificate of Membership

TO

Sonic Steam & Sauna (M) Sdn Bhd

MEETS ALL REQUIREMENTS FOR MEMBERSHIP AND AGREES TO ABIDE BY THE CODE OF ETHICS AS SET DOWN BY THE ASSOCIATION

PRESIDENT

[Signature]

VICE PRESIDENT

[Signature]

VALID TO

31 Dec 2016



CERTIFICATE OF APPROVAL

This is to certify that the Management System of:

**Helo Oy
Hanko, Finland**

has been approved by Lloyd's Register Quality Assurance
to the following Standards:

**ISO 9001:2008
ISO 14001:2004**

The scope of this approval is applicable to:

**Design, manufacture and sales of sauna heaters,
heater control units and steam bath generators.**

Approval
Certificate No: HEL0005730

Original ISO 9001 Approval: 10 May 1994

Original ISO 14001 Approval: 25 May 2000

Current Certificate: 01 May 2009

Certificate Expiry: 30 April 2012

Lloyd's Register EMEA, Finnish Branch Office
for and on behalf of Lloyd's Register Quality Assurance Limited



This document is subject to the provision on the reverse
Aleksanterinkatu 48 A, 00100 Helsinki, Finland, Registration number 02047048
This approval is carried out in accordance with the LRQA assessment and certification procedures and monitored by LRQA.
The use of the UKAS Accreditation Mark indicates Accreditation in respect of those activities covered by the Accreditation Certificate Number 001
Mark Revision 13

helo

22 December 2016

To whom it may concern

Certificate of Approval

We hereby approve Sonic Sauna and Steam to act as one of our distributors in Malaysia.

Yours sincerely,

Vesa Hietalahti
Head of Export Sales
Helo Ltd., Finland



Helo Ltd
Tehtaankatu 5 - 7
FI-11710 RIIHIMÄKI
FINLAND

Tel. +358 207 560 300
Fax +358 207 560 364

www.helosauna.com
export@helo.fi

VAT Code: FI15745582




helo
REWARD YOURSELF

 **SONIC**
STEAM & SAUNA

SAUNA & STEAM BATH PRODUCTS



www.sonicsteamsauna.com



■ HNS M2



The generator automatically prevents overheating and dry running, should there be an interruption to the water supply, protecting your investment. These generators also save operational time and effort with an automated filling function as standard and optional flushing and emptying functions – a real benefit in regions where main water contains a lot of calcium helping you prevent the chalky deposits that eventually effect performance. If you prefer, you can also control the drainage tap manually.

Control Unit



M2 Control Panel



ON/OFF Button

You can use the ON/OFF button with the M2 control panel in order to start or stop the steam generator when the control panel has been installed elsewhere. The control panel is used to set the temperature and time required.

Power Requirements

Output kW	Light structure, acrylic, tempered glass		Light board wall + tile		Heavy wall, concrete, stone		Steam production kg / h
	Without ventilation	With ventilation	Without ventilation	With ventilation	Without ventilation	With ventilation	
3,4	2 - 7 m ³	2 - 6 m ³	2 - 6 m ³	2 - 5 m ³	2 - 5 m ³	2 - 4 m ³	5
4,7	3 - 8 m ³	3 - 7 m ³	3 - 7 m ³	2 - 6 m ³	2 - 6 m ³	2 - 5 m ³	6
6,0	4 - 13 m ³	4 - 9 m ³	4 - 8 m ³	3 - 7 m ³	3 - 7 m ³	3 - 6 m ³	8
7,7	6 - 15 m ³	6 - 11 m ³	6 - 10 m ³	5 - 9 m ³	5 - 9 m ³	4 - 8 m ³	10
9,5	9 - 17 m ³	9 - 13 m ³	9 - 14 m ³	8 - 13 m ³	7 - 11 m ³	6 - 9 m ³	13
12	12 - 24 m ³	11 - 18 m ³	11 - 20 m ³	9 - 16 m ³	11 - 17 m ³	8 - 12 m ³	16
14	18 - 30 m ³	14 - 22 m ³	14 - 24 m ³	12 - 18 m ³	12 - 18 m ³	10 - 14 m ³	19

Table for selecting a steam generator based on the steam room volume and wall materials.

■ HELO STEAM PRO



The Helo Steam Pro generator automatically prevents overheating and dry running. It saves time on maintenance and down time with automated flush function. There is also the possibility to run several units through serial connection.

Product Details

Power	Steam production (kg/h)	Size (LxWxH)mm	Suitable control panel	Color
9,5	13	636 x 380 x 164	Trend or Premium	Black
12	16	636 x 380 x 164	Trend or Premium	Black
14	19	636 x 380 x 164	Trend or Premium	Black
16	21	636 x 380 x 164	Trend or Premium	Black

Steam room's min./max. volume (m³)

Power kW	Light wall made of glass, plastic etc.		Heavy wall made of tiles, concrete, stone etc.	
	With ventilation	Without ventilation	With ventilation	Without ventilation
9,5	9 - 13 m ³	9 - 17 m ³	6 - 9 m ³	5 - 6 m ³
12	11 - 18 m ³	12 - 24 m ³	8 - 12 m ³	9 - 16 m ³
14	14 - 22 m ³	18 - 30 m ³	10 - 14 m ³	11 - 17 m ³
16	17 - 25 m ³	23 - 35 m ³	12 - 16 m ³	12 - 18 m ³

Control Unit



Premium Control Unit



Wi-Fi



Desktop PC



Android / iOS



■ CUP D



Versatile, handsome, compact & easy to use

Cup electric sauna heater is a True champ. Cup sauna heater is a perfect solution for small sauna rooms and where basic functions are sufficient. Cup sauna heater is available in two different colours.

Product Details

Type	Colors	Control	Relay Box	Installation
CUP 45	Graphite	Built-in	Not needed	Wall mounted
CUP 60	Graphite, Chrome	Built-in	Not needed	Wall mounted
CUP 80	Graphite	Built-in	Not needed	Wall mounted
CUP 90	Graphite, Chrome	Built-in	Not needed	Wall mounted
CUP D	Graphite, Chrome	Trend/Premium (coming soon)	WE 30	Wall mounted

Technical information

Type	Power (kW)	Sauna Size (m ³)	Size (WxHxD) mm	Stones (kg)
CUP 45	4,5	3-6	410 x 580 x 280	15
CUP 60	6,0	5-9	410 x 580 x 280	23
CUP 80	8,0	8-13	410 x 580 x 300	23
CUP 90	9,0	9-14	410 x 580 x 300	23

Control Unit Options



DIGI I



DIGI II



OT 2 PS-1 / OT 2 PS-3

Safety Distance

Type	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)
CUP 45	80	80	1200	120
CUP 60	70	100	1250	120
CUP 80	100	150	1250	120
CUP 90	100	200	1250	120

■ SKLE



Suitable for large, commercial sized

The freestanding SKLE sauna heater is equipped with a 60 kilo stone compartment, the SKLE provides a pleasant and relaxing sauna experience.

Product Details

Colors	Control	Relay Box	Installation
Chrome	Digi II	WE 4	Floor standing
Chrome	T2	WE 14	Floor standing
Chrome	Trend/Premium (coming soon)	WE 40	Floor standing

Technical information

Type	Power (kW)	Sauna Size (m ³)	Size (WxHxD) mm	Stones (kg)
SKLE 901	9,0	8-13	510 x 700 x 475	60
SKLE 1051	10,5	9-15	510 x 700 x 475	60
SKLE 1201	12,0	10-18	510 x 700 x 475	60
SKLE 1501	15,0	14-24	510 x 700 x 475	60

Safety Distance

Type	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)
SKLE 901	80	80	1200	-
SKLE 1051	80	80	1200	-
SKLE 1201	120	120	1400	-
SKLE 1501	120	120	1400	-

■ OCTA



Traditional & versatile

Commercial sauna heater for large rooms. Octa electric sauna heater houses a large stone compartment in order to perform efficiently in demanding conditions.

Product Details

Colors	Control	Relay Box	Installation
Chrome	Digi II	WE 4	Floor standing
Chrome	T2	WE 14	Floor standing
Chrome	Trend/Premium (coming soon)	WE 40	Floor standing

Technical information

Type	Power (kW)	Sauna Size (m ³)	Size (WxHxD) mm	Stones (kg)
OCTA 901	9,0	8-13	560 x 760 x 560	60
OCTA 1051	10,5	9-15	560 x 760 x 560	60
OCTA 1201	12,0	10-18	560 x 760 x 560	60
OCTA 1501	15,0	14-24	560 x 760 x 560	60

Safety Distance

Type	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)
OCTA 901	25	25	1150	-
OCTA 1051	25	25	1150	-
OCTA 1201	65	65	1350	-
OCTA 1501	65	65	1350	-


■ Control Unit Options for SKLE and OCTA



DIGI II



OT 2 PS-1 / OT 2 PS-3



■ SKLA



Control Unit Options



DIGI II



OT 2 PS-1 / OT 2 PS-3

Powerful, durable & efficient in commercial

Helo SKLA heaters are impressive with 80 kilos stone compartment provides a great sauna experience with long and even heat distribution .

Product Details

Colors	Control	Relay Box	Installation
Chrome	OK 33 PPS-3	Not needed	Floor standing
Chrome	OK 33 Pui	Not needed	Floor standing
Chrome	Digi II	WE 4	Floor standing
Chrome	T2	WE 14	Floor standing
Chrome / Black	Trend/Premium (coming soon)	WE 50	Floor standing

Technical information

Type	Power (kW)	Sauna Size (m ³)	Size (WxHxD) mm	Stones (kg)
SKLA 181	18,0	18-30	880 x 700 x 510	80
SKLA 210	21,0	24-36	880 x 700 x 510	80
SKLA 260	26,0	30-45	880 x 700 x 510	80
SKLA 262	26,0	30-45	880 x 700 x 510	80

Safety Distance

Type	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)
SKLA 181	140	160	1400	-
SKLA 210	140	160	1400	-
SKLA 260	140	160	1500	-
SKLA 262	140	160	1500	-

helo
REWARD YOURSELF

SONIC
STEAM & SAUNA

SONIC STEAM & SAUNA (M) SDN. BHD.

SONIC POOLS (M) SDN. BHD.

No. 35, Jalan Emas SD 5/1, Bandar Sri Damansara, 52200 Kuala Lumpur.

Hunting Line +603-6277 6828

F +603-6273 5769

E sales@sonicsteamsauna.com / sonicmarketingdept@gmail.com

W www.sonicsteamsauna.com

 **SONIC**
STEAM & SAUNA



SAUNA SOLUTIONS

Sauna Heater and Accessories



STEAM & SAUNA

www.sonicsteamsauna.com





SAC II SAUNA HEATER



Heating Element
for SAC II

Quick, Effective Heating

Feel the rejuvenating spirit with the heart and soul of sauna with Finn SAC Sauna. With exclusive heater designs, allows more rocks in direct contact with the elements. The result is pure bliss: a soft steam and an even-tempered heat rising from the rocks with Open air flow design.

All Finn SAC heaters are safety tested and listed for trustworthy use and superior quality. The heaters' double-wall structure maintains minimal surface temperatures for safety and increased user pleasure. Stainless steel shell and heat shield that ensure the high performance is surely a perfect complement. Quality materials and expert engineering make Finn an incredible sauna experience above all others.


TECHNICAL DATA

Model	Power (kw)	Sauna Room Min - Max (m ³)	Supply Voltage	Dimensions(mm)	Size Of Wire (mm ³)	Stones (kg)
SAC II 60	6.0	5 ~ 8	240 v	410 (L) x 290 (W) x 520 (H)	3 x 1.5	20
SAC II 90	9.0	9 ~ 11	415 v	410 (L) x 290 (W) x 520 (H)	5 x 2.5	20

SAT SAUNA HEATER



Silver Colour



Heating Element
for SAT



Black Colour

TECHNICAL DATA

Model	Power (kw)	Sauna Room Min - Max (m ³)	Supply Voltage	Dimensions(mm)	Size Of Wire (mm ³)	Stones (kg)
SAT 120	12.0	10 ~ 18	415 v	440 (L) x 410 (W) x 655 (H)	5 x 4.0	40
SAT 150	15.0	14 ~ 24		590 (L) x 410 (W) x 655 (H)	5 x 6.0	
SAT 180	18.0	18 ~ 30		740 (L) x 410 (W) x 655 (H)	5 x 6.0	
SAT 210	21.0	22 ~ 35				
SAT 240	24.0	26 ~ 42				

TRADITIONAL SAUNA

For decades Finn has been the obvious choice for saunas in hotels, clubs, condominium and sports facilities. Professionally managed environments like these priorities reliability and low energy consumption, while frequent use subjects both designs and materials to punishing treatment. Thanks to their tried-and-tested construction, intelligently conceived functions and materials of the very finest quality, our Finn sauna heaters are more than a match for tough criteria like these. No wonder they're such a common sight in public saunas all over the world!

ADVANTAGES of FINN SAUNA HEATER



Unique Vaporisation

The heating elements are in direct contact with the stones in the deep, generously proportioned stone compartment. This produces the highest possible sauna stone temperature and a super-swift vaporisation effect that no other heater can match.



Unique Safety Feature


The highest quality components and materials, backed up by careful tests at every stage of the production process, are the reasons why Finn sauna heaters have been synonymous with good quality for more than 15 years.



Wall-mounted and Floor Standing Design

A wall-mounted and floor standing heater not only maximize space inside the sauna, but it also makes the room easier to clean and more hygienic.

SAV SAUNA HEATER



Heating Element for SAT

Large, Residential and Commercial-sized

The Professional series heaters have been the standard of the industry for more than 25 years. With a maximum amount of stones of 80 kg, these stoves create a pleasant and relaxing sauna experience.

TECHNICAL DATA

Model	Power (kw)	Sauna Room Min - Max (m³)	Supply Voltage	Dimensions(mm)	Size Of Wire (mm²)	Stones (kg)
SAV 120	12.0	15 ~ 18	415 v	515 (L) x 485 (W) x 655 (H)	5 x 4.0	40
SAV 150	15.0	18 ~ 21		515 (L) x 485 (W) x 655 (H)	5 x 6.0	
SAV 180	18.0	18 ~ 25		705 (L) x 405 (W) x 655 (H)	5 x 6.0	
SAV 210	21.0	25 ~ 29				
SAV 240	24.0	29 ~ 35				

SAC II / SAV / SAT CONTROL PANEL OPTIONS

OPTION 1



CONTROL PANEL MAIN BOARD

+



PANEL DISPLAY Model: AT-86

OPTION 2



CONTROL PANEL MAIN BOARD

+



PANEL DISPLAY Model: DON-505F


ACCESSORIES



Wooden Thermo Hygrometer



Sand-Timer (13047)



Sauna Light



Wooden Lighting Cover



Heater Guards



Sauna Stones




Wooden Bucket and Ladle

CUSTOMIZED SAUNA DOOR

The sauna door is one of the most important parts of the sauna as it must be very functional as well as very attractive and inviting. The changing heat and humidity conditions on the sauna side of the door place great demands on sauna doors to remain warp free.

Sauna doors must always open outwards from the sauna. Sauna doors cannot have a latch-type door mechanism that requires turning, lifting or unlocking. Use only a friction ball or roller door catch or a magnetic door catch. Sauna doors should open by simply pushing from the inside.



10mm (T) clear tempered glass



Door Ventilation System





Ceiling Ventilation System

Door Frame Floor/Bench

Door Wall Panel Ceiling

Colour options



DESIGN CABIN TYPE & CUSTOM MADE FAR INFRARED SAUNA



SONIC STEAM & SAUNA (M) SDN. BHD. (579448-K)

SONIC POOLS (M) SDN. BHD. (891156-U)


No. 35, Jalan Emas SD 5/1, Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia.

Tel : 03-6277 6828 (Hunting Line) Fax : 03-6273 5769

E-mail : sales@sonicsteamsauna.com / sonicmarketingdept@gmail.com

Website : www.sonicsteamsauna.com

 **SONIC**
STEAM & SAUNA



www.sonicsteamsauna.com

STEAM SOLUTIONS
Steam Generators and Accessories



SAG STEAM GENERATOR

SAG series is the 4th generation model with Rose Gold Color Stainless Steel Design. The high market shares is based on advance technology with touch screen control panel, energy conservation and beautiful shape.



DIGITAL CONTROL PANEL
Model: AT-86

TECHNICAL DATA

Model	Power (kw)	Steam Room Min - Max (m ³)	Supply Voltage	Dimensions (mm)	Size Of Wire (mm ³)	Weight
SAG 60	6.0	6 ~ 7	240 v	450 (L) x 230 (W) x 320 (H)	6	13 KG
SAG 90	9.0	10 ~ 12	415 v	450 (L) x 230 (W) x 320 (H)	4	13 KG
SAG 120	12.0	15 ~ 18	415 v	500 (L) x 220 (W) x 390 (H)	6	16 KG
SAG 150	15.0	18 ~ 21				
SAG 180	18.0	22 ~ 25				



DON STEAM GENERATOR

DON series is the 3rd generation model . The high market shares is based on elegant design and perfect performance. There are two options for its exterior, powder coating and stainless steel . Which equipped with ST-135T controller.



DIGITAL CONTROL PANEL
Model: DON-505F

The main functions are listed as follow :


1. Working Time setting : 30 minutes to 8 hours
2. Temperature setting : 35-55°C (95-131°F)
3. Protection of water shortage
4. Over-high temperature protection
5. Over-high pressure protection, prevent tank from expanding, in the case steam head has been blocked
6. Light system control
7. Long distance signal transmission, the longest distance can be 50m
8. The tank material is 304# stainless steel
9. New steam nozzle prevent user from scald
10. The universal wire connection
11. New strong draining system, and auto-back flush, wipe out scale completely, enlarge the service life extremely
12. The unique dual protection, water inflow once power on, so that prevent heating element from dry burning at beginning

TECHNICAL DATA

Model	Power (kw)	Steam Room Min - Max (m ³)	Supply Voltage	Dimensions (mm)	Size Of Wire (mm ³)	Weight
DON 105	10.5	12 ~ 15	415 v	530 (L) x 225 (W) x 470 (H)	5 x 11	19 KG
DON 120	12.0	15 ~ 18			5 x 10	
DON 150	15.0	18 ~ 21			5 x 9	
DON 180	18.0	21 ~ 25			5 x 8	

▶ STEAM ROOM GLASS DOOR

Our hinged doors for steam rooms have an extra robust design to cope with wear and tear and heavy traffic in demanding environments such as public bathing facilities. They are manufactured in 10 mm thick clear tempered glass with heavy duty stainless steel hinges c/w stainless steel handle and rubber seal for a tight seal. All our hinged doors can be hung to open left or right and both swing inward or outward opening.



▶ STEAM ROOM CEILING




Silver 028



Gold 108



Wood Grain 870



Bronze 303

▶ ACCESSORIES & PARTS



Steam Nozzle
(Aluminium finished)



Steam Room Light
(Unbreakable)



Safety Valve



Steam Nozzle

Our powerful steam generators are designed to cope with the demands of a tough life in public bathing facilities, hotels and gyms. Under these conditions steam generators often need to work more or less round the clock, so service and maintenance times have to be kept to a minimum. That's why we have given operational reliability top priority and chosen the best possible materials and components in every Finn steam generator.

Superlative safety thanks to the electronic water-level indicator, low-water cut-off, integral safety valve and temperature limit control. Always the right steam output, regardless of the quality or level of the water.



ADVANTAGES of STEAM GENERATORS



Safety Guard

provide a safety valve for each Finn steam generator to avoid high risky.

Fully Welded Water Tank

a service-friendly construction in top quality stainless steel.



Hidden Out Of Sight

for example, in a well ventilated cabinet or machine room above, below or on the same level as the steam room itself.

Built-in Operational Integrity

automatic empty-flush-and-refill cycle without any noticeable effect on performance if the quality of the water in the tank deteriorates.



Cleverest Control Panels

with features such as digital control, infinitely variable temperature control, energy-saving divided output, weekly timer with long-term programming function. Practical features and functions, such as the solenoid valve with auto release water from the water tank to avoid elements damages.



Stand-by Function

a unique Finn innovation that saves huge amounts of money for public steam-bathing facilities.

Low Energy Consumption

divided output produces a constant bathing temperature, continuous steam production and little noise.



Simple Installation

the steam generator can be hanging to the wall or installed as a freestanding floor unit.



First-class Tubular Elements

high quality heat-and acid-resistant tubular heating elements made in-house by Finn.



SONIC STEAM & SAUNA (M) SDN. BHD. (579448-K)


SONIC POOLS (M) SDN. BHD. (891156-U)

No. 35, Jalan Emas SD 5/1, Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia.

Tel : 03-6277 6828 (Hunting Line) Fax : 03-6273 5769

E-mail : sales@sonicsteamsauna.com / sonicmarketingdept@gmail.com

Website : www.sonicsteamsauna.com





SWIMMING POOL





Dear Guest
• The Jacuzzi is for the use of adults only
• Children under 12 are strictly not allowed due to height and safety reasons
• Please, always stay in marked 20-Minute

SPA POOL





TOGETHER



DADA



VALENCIA



AWAKEN



INFINITUM



VERONA




PORTABLE WHIRLPOOL I-SPA SERIES






WATER TREATMENT SPA





WATER FEATURE





SAUNA ROOM





STEAM ROOM



MAJOR PROJECTS :

Hotel & Resort

ITEM	PROJECT NAME	LOCATION	DESCRIPTION
1)	Cyberview Lodge Hotel & Resort	Cyberjaya, Selangor.	1 unit - Lap Pool 2 units - Hot Spa Pool 2 units - Chiller Spa Pool 2 units - Sauna Room 2 units - Steam Room
2)	Marriott Putrajaya Hotel & Resort	IOI Putrajaya, Selangor.	2 units - Hot Spa Pool 2 units - Sauna Room 2 units - Steam Room
3)	Pangkor Laut Hotel & Resort	Pangkor Island, Perak.	3 units - Steam Room
4)	The Banjaran Resort, Sunway	Tambun, Ipoh, Perak.	25 units - Spa Pool
5)	Hotel Grand Hyatt (KL)	Kuala Lumpur.	2 units - Hot Spa Pool 2 units - Steam Room 2 units - Sauna Room 2 units - Ice Fountain Treatment System
6)	Dayang Bay Hotel & Resort	Langkawi, Kedah.	2 units - Swimming Pool with Jacuzzi Treatment 1 unit - Lady Swimming Pool 1 set - Children Water Park 1 unit - Water Feature 4 units - Steam Bath Room 7 units - Portable Whirlpool
7)	The Hibiscus Water Home & Resort	Port Dickson, Seremban.	657 units - Steam Room 2 units - Sauna Room
8)	The Lexis Suites	Penang.	222 units - Steam Room 2 units - Sauna Room
9)	Pullman Hotel & Service Apartment	Miri, Sarawak.	2 units - Swimming Pool 2 units - Wadding Pool 2 units - Spa Pool 2 units - Water Feature 2 units - Sauna Room 2 units - Steam Room
10)	IOI Puteri Hill, Town Villas.	IOI, Puchong, Selangor.	47 units - Spa Pool
11)	H Garden Resorts & Spa	Taiping, Perak.	1 unit - Swimming Pool with Wading Pool and Spa Pool 1 unit - Spa Pool with Water Feature 1 unit - Round Spa Pool 1 unit - Sauna Room 1 unit - Steam Room

ITEM	PROJECT NAME	LOCATION	DESCRIPTION
12)	Hotel Holiday Villa (JB)	Johor Bahru.	1 unit - Swimming Pool 1 unit - Wadding Pool 2 units - Hot Spa Pool 2 units - Sauna Room
13)	Hatten @ Double Tree Hotel & Service Apartment	Melaka.	4 units - Sauna Room 4 units - Steam Room
14)	Four Seasons Place KLCC	KLCC, Kuala Lumpur.	2 units - Main Public Pool 2 units - Main Public Kid Pool 11 units - Private Pool
15)	W Hotel KL @ Away Spa KLCC	Kuala Lumpur.	2 units - Vitality Spa Pool 2 units - Aromatherapy Steam Bath 2 units - Experience Shower 2 units - Bio Sauna Room 2 units - Steam Bath 1 lot - Spa Equipments (Treatment)
16)	Hotel / Condominium @ MDGM	Gua Musang, Kelantan, D.N	1 unit - Swimming Pool
17)	Puteri Resort	Melaka.	1 lot - Pirate Ship & Water Theme Park 2 units - Cafeteria
18)	Experience Spa Centre @ Westin Desaru Resort	Desaru, Johor.	2 units - Vitality Spa Pool 2 units - Aromatherapy Steam Bath 2 units - Experience Shower
19)	Royale Pavilion Hotel	Kuala Lumpur.	4 units - Steam Room 2 units - Sauna Room 2 units - Vichy Shower & Terrazzo Bed
20)	Kempinski Hotels	Kuala Lumpur	2 units - Portable Jacuzzi 1 unit - Double Steam Shower 2 units - Steam Room 2 units - Sauna Room
21)	Redang Beach Resort	Terengganu	1 unit - Swimming Pool 1 unit - Wading Pool 1 unit - Splash Fountain
22)	High Diligent Hotel @ KGPA	Kuala Lumpur	Swimming Pool, Pool Deck, Stainless Steel Reflecting Wall, Hive (Finishing & Waterproofing)
23)	Merdeka PNB 118 @ Park Hyatt	Kuala Lumpur	1 unit - Swimming Pool 1 unit - Spa Pool 2 units - Vitality Pool 2 units - Experience Shower 2 units - Aromatherapy Steam Bath 2 units - Salt Inhalation Chamber 1 unit - Treatment Room Whirlpool
24)	Sunway Pyramid Hotel @ Spa Centre	Bandar Sunway, Selangor	2 units - Ice Fountain 2 units - Salt Sauna Room 2 units - Aromatherapy Steam Bath

MAJOR PROJECTS :

Other

ITEM	PROJECT NAME	LOCATION	DESCRIPTION
1)	Nexus Residence Karambunai Service Apartment	Karambunai, Kota Kinabalu, Sabah.	163 units - Steam Room
2)	The Rafflesia, MK Land	Damansara Perdana, Kuala Lumpur.	56 units - Portable Steam Bath 56 units - Portable Whirlpool
3)	Pedas Spring Spa Centre	Genting Highlands, Pahang.	4 units - Hot Spa Pool 2 units - Steam Room 2 units - Far Infrared Sauna Room (Custom Made) 2 units - Portable Whirlpool 1 unit - Portable Far Infrared Sauna Room
4)	LYL Development Sdn Bhd	Cheras, Kuala Lumpur.	37 units - Swimming Pool
5)	Mulpha Land Bhd	Enclave, Bangsar Kuala, Lumpur.	7 units - Sauna Room
6)	Nissin Builders Sdn Bhd	Puchong, Selangor.	16 units - Water Feature
7)	Idaman Ikhlas Sdn Bhd	Cheras, Kuala Lumpur.	6 units - Swimming Pool
8)	Ossoto Spa Centre	Wisma Mirama, Kuala Lumpur.	3 units - Hot Spa Pool 1 unit - Chiller Spa Pool 5 units - Water Massage Bed 7 units - Water Massage Bench 2 units - Shoulder Massage Jet 1 unit - Fish Spa Treatment 1 unit - Portable Spa Pool 1 unit - Hot Stone Bed 2 units - Cool Water Shower Room Treatment 2 units - Steam Room 3 units - Sauna Room
9)	Capital Land Bhd	Bukit Tinggi, Pahang.	2 units - Spa Pool 1 unit - Hot Spa Pool 1 unit - Steam Room 1 unit - Sauna Room
10)	City View Condominium.	Kota Bharu, Kelantan.	1 unit - Swimming Pool 1 unit - Wading Pool 1 unit - Sauna Room 1 unit - Steam Room
11)	Lake Point Residence	Cyberjaya, Selangor.	1 unit - Main Swimming Pool 1 unit - Wading Pool 1 unit - 5 Meter High Water Feature 4 units - Water Feature

ITEM	PROJECT NAME	LOCATION	DESCRIPTION
12)	Seasons Luxury Apartments @ Amara Larkin	Johor Bahru.	1 unit - Main Swimming Pool 1 unit - Wading Pool 2 units - Sauna Room 2 units - Steam Room
13)	Inai Sakti	Kuala Kubu Bahru, Selangor.	1 unit - Swimming Pool 1 unit - Hot Spa Pool 1 unit - Chiller Spa Pool 1 unit - Sauna Room 1 unit - Steam Room
14)	River View Condominium	Kota Bharu, Kelantan.	3 units - Swimming Pool 1 unit - Sauna Room 1 unit - Steam Room
15)	Tentara Udara Diraja Malaysia (TUDM)@ Sendayan	Seremban, N. Sembilan.	1 unit - Olympic Pool 1 unit - Diving Pool 1 unit - Swimming Pool 1 unit - Wading Pool 1 unit - Practice Pool
16)	Kelab Golf Negara Subang	Subang Jaya.	1 unit - Half Olympic Pool
17)	Botanika @ IWF	Johor Bahru.	1 unit - Swimming Pool 2 units - Sauna Room
18)	Kongsan @ IWF	Johor Bahru.	1 unit - Swimming Pool
19)	Kelab House @ Amverton Link	Klang, Selangor D.E.	1 unit - Swimming Pool, Wading Pool & Finished
20)	Oasis Condominium	Ipoh, Perak D.R.	1 unit - Swimming Pool & Finished
21)	Banyan Tree Residence	Kuala Lumpur	5 units - Steam Room 1 unit - Sauna Room
22)	Masterax Industrial Sdn Bhd	Pulau Pinang	2 units - Steam Room 2 units - Sauna Room
23)	KL Eco City	Bangsar South, KL	2 units - Steam Room 2 units - Sauna Room
24)	UDA Development	Taman Tun Hussein Onn Cheras, KL.	4 units - Sauna Room
25)	One Amerin Condominium	Belakong, KL.	4 units - FIR Sauna Room
26)	UDA Development	Kampong Bahru, KL	4 units - Sauna Room
27)	Eco Sky @ Eco World	Jalan Kuching, KL	2 units - Sauna Room
28)	Amverton Green 280 Luxury Condominium	Klang, Selangor D.E.	1 unit - Swimming Pool with Spa Pool 1 unit - Kid Pool with Water Play 2 units - Sauna Room

ITEM	PROJECT NAME	LOCATION	DESCRIPTION
29)	Cantara Damansara Luxury Condominium @ Sime Darby	Ara Damansara	4 units - Hot & Cold Spa Pool 15 units - Water Feature 2 units - Far Infrared Sauna Room 2 units - Steam Room
30)	NTL Villa & Resort	Villa Height, Kajang	1 unit - Treatment Spa Pool 1 unit - Steam Room 1 unit - Infrared Sauna Room
31)	Amverton Cove Golf & Island Resort	Pulau Caley, Klang	1 unit - Swimming Pool
32)	Babel Fitness	KLCC	2 units - Far Infrared Sauna
33)	Teega Condominium	Johor Bahru.	4 units - Portable Spa
34)	KL Eco City, Parcel B	Kuala Lumpur	2 units - Sauna Room 2 units - Steam Room
35)	The Luxe By Infinitem	Kuala Lumpur	1 unit - Swimming Pool 2 units - Steam Room 2 units - Sauna Room
36)	Residensi Duta Kiara Condominium	Jalan Duta Hartamas, KL	2 units - Sauna Room 2 units - Steam Room
37)	Bukit Jalil Parcel F - Condominium	Bukit Jalil, KL	2 units - Sauna Room 2 units - Steam Room
38)	Bukit Jalil Parcel E - Condominium	Bukit Jalil, KL	4 units - Sauna Room 4 units - Steam Room
39)	Sentul Service Apartment	Kuala Lumpur	2 units - Sauna Room
40)	Estuari Club (Phase 1) on Parcel C	Johor Bahru.	2 units - Sauna Room
41)	Bungalow Taman U-Thant	Kuala Lumpur	1 unit - Swimming Pool
42)	Bukit Tunku Bungalow	Kuala Lumpur	1 unit - Swimming Pool 1 unit - Reflective Pond 1 unit - Koi Pond
43)	Serai Bukit Damansara Penthouse	Bangsar, KL	1 unit - Swimming Pool
44)	Agile Mont Kiara - Condominium	Kuala Lumpur	2 units - Steam Room
45)	Marc Residence	Kuala Lumpur	1 unit - Himalayan Salt Sauna Room



SONIC STEAM & SAUNA (M) SDN. BHD. (579448-K)

SONIC POOLS (M) SDN. BHD. (891156-U)

No. 35, Jalan Emas SD 5/1, Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia.

T : 03-6277 6828 (Hunting Line)

F : 03-6273 5769

E : sales@sonicsteamsauna.com / mickencflee@yahoo.com

www.sonicsteamsauna.com

